



CATALOGUE




Gutami bankruptcy: big batch of charging stations and "All in one " Fox inverters




V240084




Auction




Name:	Gutami bankruptcy: big batch of charging stations and "All in one " Fox inverters
Auction number:	V240084
URL:	https://www.proplusauctions.be/en/vente/gutami-bankruptcy-big-batch-of-charging-stations-and-all-in-one-fox-inverters~u7zrlxix8z
Start date:	31/7/2024 at 12:00
End date:	19/8/2024 from 18:00
Number of lots:	53
Description:	
Viewing:	From 5/8/2024 10:00 to 5/8/2024 12:00 Koolmijnlaan 181 3580 Beringen Belgique
Collection:	From 26/8/2024 10:00 to 26/8/2024 12:00 Koolmijnlaan 181 3580 Beringen Belgique
Organised by:	Pro+ Auctions




Lots




Number	Description	Opening bid
V240084.001	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.002	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.003	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.004	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.005	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.006	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.007	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.008	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.009	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.010	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.011	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.012	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.013	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.014	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.015	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.016	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.017	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.018	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.019	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.020	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.021	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Contents lot:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.022	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.023	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.024	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.025	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.026	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.027	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.028	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.029	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.030	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.031	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.032	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.033	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00




Number	Description	Opening bid
V240084.034	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.035	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.036	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00



Number	Description	Opening bid
V240084.037	 <p>1 x Alfen Eve Single Pro-line charging station Specifications: Very small modern housing Load capacity 3.7kW to 11kW Socket or fixed cable Wall-mounted or freestanding with mounting pole Dynamic load balancing possible through cooperation with smart meter (DSMR, TIC) or external energy meters (Modbus RTU, Modbus TCP/IP) LED status indication MID certified energy meter for settlement of transaction costs Plug & Charge or authorisation via RFID European A-quality a solid and high-quality product Lot contents:1 single unit,pole and ground anchor (get advice from an installer) https://alfen.com/nl-be/eve-single-s-line</p>	€ 150,00
V240084.038	 <p>Fox All In-One Inverter 1PH, 3.7kW Without Batteries Part no: FE-AIO-H1-3.7-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, single-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 100,00
V240084.039	 <p>Fox All In-One Inverter 1PH, 3.7kW Without Batteries Part no: FE-AIO-H1-3.7-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, single-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 100,00

Number	Description	Opening bid
V240084.040		€ 100,00
	<p>Fox All In-One Inverter 1PH, 3.7kW Without Batteries Part no: FE-AIO-H1-3.7-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, single-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	
V240084.041		€ 100,00
	<p>Fox All In-One Inverter 1PH, 3.7kW Without Batteries Part no: FE-AIO-H1-3.7-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, single-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	
V240084.042		€ 125,00
	<p>Fox All In-One Inverter 1PH, 5.0kW Without Batteries Part no: FE-AIO-H1-5.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, single-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	

Number	Description	Opening bid
V240084.043	 <p>Fox All In-One Inverter 1PH, 5.0kW Without Batteries Part no: FE-AIO-H1-5.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, single-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 125,00
V240084.044	 <p>Fox All In-One Inverter 1PH, 5.0kW Without Batteries Part no: FE-AIO-H1-5.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, single-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 125,00
V240084.045	 <p>Fox All In-One Inverter 3PH, 5.0kW Without Batteries Part no: FE-AIO-H3-5.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 125,00

Number	Description	Opening bid
V240084.046	 <p>Fox All In-One Inverter 3PH, 5.0kW Without Batteries Part no: FE-AIO-H3-5.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 125,00
V240084.047	 <p>Fox All In-One Inverter 3PH, 5.0kW Without Batteries Part no: FE-AIO-H3-5.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 125,00
V240084.048	 <p>Fox All In-One Inverter 3PH, 6.0kW Without Batteries Part no: FE-AIO-H3-6.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 150,00

Number	Description	Opening bid
V240084.049	 <p>Fox All In-One Inverter 3PH, 6.0kW Without Batteries Part no: FE-AIO-H3-6.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 150,00
V240084.050	 <p>Fox All In-One Inverter 3PH, 8.0kW Without Batteries Part no: FE-AIO-H3-8.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 150,00
V240084.051	 <p>Fox All In-One Inverter 3PH, 8.0kW Without Batteries Part no: FE-AIO-H3-8.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	€ 150,00

Number	Description	Opening bid
V240084.052		€ 150,00
	<p>Fox All In-One Inverter 3PH, 8.0kW Without Batteries Part no: FE-AIO-H3-8.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	
V240084.053		€ 150,00
	<p>Fox All In-One Inverter 3PH, 8.0kW Without Batteries Part no: FE-AIO-H3-8.0-E Storage Systems - Hybrid Inverter The Fox All-in-one is a stylish, three-phase floor unit. The Fox AIO uses high-voltage batteries for maximum round-trip efficiency, allowing you to get the most out of your storage. The IP65 enclosure allows the unit to be installed outdoors for maximum installation flexibility. The Fox AIO is easy to install, saving you time spent on installation. Remote monitoring is also available via your smartphone or web portal. Uses high-voltage batteries IP65 rating - suitable for outdoor installations Remote monitoring via web portal or smartphone Easily expandable battery capacity Dual MPPT - ensures optimal solar output High return efficiency of 97% CT clamps and meter are included in the box (get advice from an installer) https://www.fox-ess.com/all-in-one/</p>	